

5


IB/2004/052531



Europäisches
Patentamt

European
Patent Office

Office européen
des brevets



Bescheinigung

Certificate

Attestation

Die angehefteten Unterla-
gen stimmen mit der
ursprünglich eingereichten
Fassung der auf dem näch-
sten Blatt bezeichneten
europäischen Patentanmel-
dung überein.

The attached documents
are exact copies of the
European patent application
described on the following
page, as originally filed.

Les documents fixés à
cette attestation sont
conformes à la version
initialement déposée de
la demande de brevet
européen spécifiée à la
page suivante.

Patentanmeldung Nr. Patent application No. Demande de brevet n°

03104448.0 ✓

BEST AVAILABLE COPY

**PRIORITY
DOCUMENT**
SUBMITTED OR TRANSMITTED IN
COMPLIANCE WITH RULE 17.1(a) OR (b)

Der Präsident des Europäischen Patentamts;
Im Auftrag
For the President of the European Patent Office
Le Président de l'Office européen des brevets
p.o.

R C van Dijk



Europäisches
Patentamt

European
Patent Office

Office européen
des brevets

Anmeldung Nr:
Application no.: 03104448.0 /
Demande no:

Anmeldetag:
Date of filing: 28.11.03 ✓
Date de dépôt:

Anmelder/Applicant(s)/Demandeur(s):

Koninklijke Philips Electronics N.V.
Groenewoudseweg 1
5621 BA Eindhoven
PAYS-BAS

Bezeichnung der Erfindung/Title of the invention/Titre de l'invention:
(Falls die Bezeichnung der Erfindung nicht angegeben ist, siehe Beschreibung.
If no title is shown please refer to the description.
Si aucun titre n'est indiqué se référer à la description.)

Data processing system

In Anspruch genommene Priorität(en) / Priority(ies) claimed / Priorité(s)
revendiquée(s)
Staat/Tag/Aktenzeichen/State/Date/File no./Pays/Date/Numéro de dépôt:

Internationale Patentklassifikation/International Patent Classification/
Classification internationale des brevets:

G06F9/00

Am Anmeldetag benannte Vertragsstaaten/Contracting states designated at date of
filing/Etats contractants désignées lors du dépôt:

AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HU IE IT LU MC NL
PT RO SE SI SK TR LI

Data processing system

The invention relates to a data processing system comprising a computer having a memory for storage and retrieval of at least one application program embodying a pre-determined functionality, and for storage and retrieval of at least one data-file, whereby the computer comprises a user interface for entertaining communication between the
5 computer and a user of this computer.

Such a data processing system is in general use throughout the world.

The known data processing system usually comprises several application programs such as a word processor, a spread sheet program, a presentation program and other application programs. Each such application program requires specific types of data-files. A
10 data-file which is usable in connection with a photo processing program does for instance not allow for processing by a word processor and vice versa.

To assist the user, the user interface of the known data processing system indicates for each application program which data-file can effectively be used thereby. In the known data processing system the feasible combinations of application programs and data-
15 files are therefore predetermined and provided in a so-called association table, which table is based on the applicable data-file extensions. A data-file with the extension .doc may for instance relate to a document containing a string of characters representing a text that may be processed by a word processor. Such a data-file can however not be used in connection with a photo processing program.

20 A problem that occurs, however, is that the extension of a certain data-file may not accurately reflect its capability to be processed in connection with one or more application programs. This means that based on a given extension of a data-file its processing by an application program may prove impossible, although the user interface indicates that such combined processing is feasible. Alternatively the user interface may indicate that
25 processing of a data-file by an application program is not feasible whereas actually such processing may prove possible. This point is particularly important because the user may alter the file extensions on his own motion so that the extension may not properly reflect the content of a data-file.

In the prior art the actual validation whether a certain application program may be combined with a certain data-file occurs immediately following the start of execution of the application program in connection with such a data-file. For that purpose the application program of the prior art comprises validation software for checking and enabling the operability of this application program in connection with the concerning data-file, whereby processing software of the application program embodying a predetermined functionality in connection with the data-file only becomes operable in dependence of same being enabled by the validation software which is executed immediately prior to the processing software. Thus, depending on the outcome of the validation software checking the compatibility of the data-file with the concerning application program, the processing software will or will not be executed in connection with such data-file.

According to the invention the application program as well as the data processing system are characterized in that the validation software is executable separately and independent from the processing software.

This provides the advantage that prior to actually executing the processing software the user interface is capable to start execution of the validation software and after completion thereof communicate a result of said execution to the user. Due to the invention the user receives accurate information about all feasible combinations of application programs and data-files that may be processed in connection with such application programs. A further advantage is that all "intelligence" that is required for selecting the said feasible combinations can remain with the designer of the application program or programs. This means that the validation software can be optimized according to the needs of the case on the one hand, and on the other hand all such application programs can run effectively under an operating system from a different designer without any need to share with the latter any knowledge pertaining to said intelligence within the validation software.

Advantageously the user interface is capable to start execution of the validation software and/or to start execution of the validation software immediately followed by execution of the processing software. The user interface thus not only provides the possibility that information is given about the feasible combinations of the available application programs with the available data sets. It is also possible that same is immediately followed by executing the processing software that pertains to one or more of such feasible combinations.

In one aspect of the invention the data processing system is characterized in that upon selection of an application program the user interface starts execution of the

validation software of said application program in connection with all available data sets and after completion thereof communicates the data-file or data-files that are operable in connection with said application program.

5 In another aspect of the invention the data processing system is characterized in that upon selection of a data-file the user interface starts execution of the validation software of all available application programs and after completion thereof communicates the application program or programs that are operable in connection with said data-file.

10 It is preferred that the user interface has a memory for storage and retrieval of a result or results from executing the validation software. Herewith it is possible to speed up further actions which require the result(s) of the validation software, such as the start of executing the processing software.

The invention can particularly brought to advantageous use in a data processing system that is characterized in that the at least one application program and the at least one data-file relate to medical information. In such a system, especially when the
15 medical information is medical diagnostic information the user has access to a large number of data-files wherein each data-file may contain multiple images of an organ under investigation, whilst the application programs will relate to many different clinical packages, each one offering a specific combination of viewing, processing and/or interaction capabilities targeted at obtaining a clinical diagnostic result.

20 In such a system the data-file or data-files may contain information derived with an apparatus selected from the group comprising MRI-, CT-, X-ray- and ultrasound-systems. With any such system medical diagnostic information may be obtained, for instance, with respect to a person's brain or a person's heart or other organs.

25 Without restricting the scope of invention and the claims pertaining thereto, the following description of an exemplary embodiment of the invention with reference to the annexed drawing provides a further explanation.

In the drawing:

30 Fig. 1 shows a first screen of a visual display unit forming part of a data processing system according to the invention, and

Fig. 2 shows a second screen of a visual display unit forming part of a data processing system according to the invention.

The data processing system to which the invention relates, comprises in the same way as in the prior art a computer having a memory for storage and retrieval of at least one application program embodying a predetermined functionality. The memory serves
5 further for storage and retrieval of at least one data-file. Such known computer comprises also a user interface for entertaining communication between the computer and the user of said computer. To this end a visual display unit may be connected to the computer for making the information accessible to the user. Also a mouse or other input device, such as a key-board, may be connected to the computer allowing the user to provide information to the
10 computer about his desired actions.

Also similar as in the prior art the application programs that are operable on the computer comprise validation software for checking and enabling the operability of these application programs in connection with the available data-files as well as processing software for executing the functionality of these application programs in connection with the
15 applicable data-files that may become operable in dependence of a prior enablement by the validation software. This is all known prior art requiring no further elucidation.

According to the invention the validation software is executable separately and independent from the processing software allowing the user interface to start execution of the validation software whereby after completion thereof the user interface may communicate the
20 result of this execution to the user. Examples of such results are shown in Fig. 1 and 2, respectively.

With reference to Fig. 1 an example is shown wherein upon selection of a data-file the user interface starts execution of the validation software of all available application programs and after completion thereof communicates the application program or
25 programs that are operable in connection with said data-file.

To this end the user selects a data-file in the shown pictorial index provided below the buttons in the top part of the VDU-screen, e.g. by mouse clicking. The selected data-file is marked by a lighted border and indicated by the words "selected thumbnail". In the top part of the VDU-screen a series of four buttons are shown, two of which are disabled
30 (the two rights buttons) and two of which are enabled (the two left buttons) indicating that the application programs represented by these latter two buttons can be executed in connection with the selected data-file. Actual processing may be initiated by double clicking of the selected data-file in relation to one of the application programs being assigned default or in relation to another enabled application program that the user selects.

Fig. 2 relates to a VDU-screen which is offered to the user in a data processing system according to the invention wherein upon selection of an application program the user interface starts execution of the validation software of said application program in connection with all available data sets and after completion thereof communicates the data-file or data-files that are operable in connection with said application program.

To this end the user may in a possible embodiment position a mouse such that one of the four top buttons is selected that are representative for certain predetermined application programs. Upon highlighting of the concerning button, in this example the right button, the validation software of the concerning application program is executed with respect to all available data-files represented by the pictorial index provided below the line of buttons, showing so-called "thumbnail images". Only with those thumbnail images that are capable to be processed with the concerning application program a highlighted button occurs, in this example shown as a small square. The user may then proceed by clicking one of the highlighted data-files or dragging it to an appropriate part of the VDU-screen to initiate the actual processing software of the selected application program.

Finally it is remarked that the invention is also embodied in a data carrier which is provided with the application program according to the invention.

CLAIMS:

1. Data processing system comprising a computer having a memory for storage and retrieval of at least one application program embodying a pre-determined functionality, and for storage and retrieval of at least one data-file, which computer comprises a user interface for entertaining communication between the computer and a user of said computer,
5 whereby the at least one application program comprises validation software for checking and enabling the operability of said application program in connection with the at least one data-file, and processing software for executing the said functionality in connection with the at least one data-file in dependence of said enabling by the validation software, characterized in that the validation software is executable separately and independent from the processing
10 software.
2. Data processing system according to claim 1, characterized in that the user interface is capable to start execution of the validation software and after completion thereof communicate a result of said execution to the user.
- 15 3. Data processing system according to claim 1 or 2, characterized in that the user interface is capable to start execution of the validation software and/or to start execution of the validation software immediately followed by execution of the processing software.
- 20 4. Data processing system according to any of the preceding claims, characterized in that upon selection of an application program the user interface starts execution of the validation software of said application program in connection with all available data sets and after completion thereof communicates the data-file or data-files that are operable in connection with said application program.
- 25 5. Data processing system according to any one of the claims 1-4, characterized in that upon selection of a data-file the user interface starts execution of the validation software of all available application programs and after completion thereof communicates the application program or programs that are operable in connection with said data-file.

6. Data processing system according to any one of the preceding claims, characterized in that the user interface has a memory for storage and retrieval of a result or results from executing the validation software.

5

7. Data processing system according to any one of the preceding claims, characterized in that the at least one application program and the at least one data-file relate to medical information.

10 8. Data processing system according to claim 7, characterized in that the medical information is medical diagnostic information.

9. Data processing system according to claim 7 or 8, characterized in that the at least one data-file contains information derived with an apparatus selected from the group of
15 MRI-, CT-, X-ray-, and ultrasound-systems.

10. Application program for use on a computer in connection with a data-file, comprising processing software embodying a pre-determined functionality, and validation software for checking and enabling the operability of said processing software in connection
20 with said data-file, characterized in that the validation software is executable separately and independent from the processing software.

11. Software-carrier provided with the application program according to claim 10.

ABSTRACT:

The invention relates to a data processing system comprising a computer having a memory for storage and retrieval of at least one application program embodying a pre-determined functionality, and for storage and retrieval of at least one data-file, which computer comprises a user interface for entertaining communication between the computer and a user of said computer, whereby the at least one application program comprises
5 validation software for checking and enabling the operability of said application program in connection with the at least one data-file, and processing software for executing the said functionality in connection with the at least one data-file in dependence of said enabling by the validation software, whereby the validation software is executable separately and
10 independent from the processing software.

Fig. 1




FIG.1




FIG.2

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record.**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☒ **BLACK BORDERS**
- ☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- ☒ **FADED TEXT OR DRAWING**
- ☐ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- ☐ **SKEWED/SLANTED IMAGES**
- ☐ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- ☐ **GRAY SCALE DOCUMENTS**
- ☒ **LINES OR MARKS ON ORIGINAL DOCUMENT**
- ☐ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- ☐ **OTHER:** _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.